

MOBILITY SCOOTER CATALOG



Get *Out*
There!

PRIDE® **MOBILITY** SCOOTERS
LIVE YOUR BEST®

pridemobility.com





Don't let a change in mobility affect your lifestyle. Live your best with Pride® Mobility Scooters and enjoy sleek, sporty style in a high-performance package.

With an array of models and colors to choose from, Pride Mobility Scooters make it easier for you to get out there and enjoy life.

What's Inside

• Go-Go® Travel Mobility	3-6	• Maxima	10
• Victory® Series	7-8	• Scooter Accessories	11
• Pursuit® Series	9	• Specifications	13-14



Choosing the right Pride Mobility Scooter

When choosing a Pride Mobility Scooter, specific requirements and conditions can affect your process.

Indoor maneuverability

- Travel Mobility to Mid-Size Luxury scooters offer enhanced maneuverability

Stability

- 4-Wheel scooters provide increased stability

Indoor and outdoor versatility

- Mid-Size and Full-Size Luxury Scooters are great for both indoor and outdoor use

Outdoor capabilities

- Mid-Size and Full-Size Luxury Scooters offer excellent outdoor capabilities

Increased weight capacity

- Mid-Size and Full-Size Luxury Scooters provide increased weight capacity

Easy portability

- Travel Mobility Scooters are easy to disassemble, transport and store

Speed and performance

- Mid-Size and Full-Size Luxury Scooters offer increased speed and performance

GO•GO®

TRAVEL MOBILITY



Feather-touch disassembly



GO•CHAIR

Features

- 300 lb. weight capacity
- One hand feather-touch disassembly
- 18" x 17", 5-point swivel seat with latch release
- Faster speed - up to 3.7 mph
- Compact turning radius 25.4"
- Dual swing-away, under seat storage bins
- Height & width adjustable armrests

Color Choices



Ruby Red



Sapphire Blue



Rose Quartz



Citrine Yellow



Amber Orange



Pearl White

3-WHEEL SCOOTER

GO•GO® es2

Features

- 250 lbs. weight capacity
- Two speed settings - high and low (indoor/outdoor), maximum speed up to 4 MPH
- Up to 6.8 miles per charge range
- Lightweight, one-piece frame for added stability and easy portability

Color Choices



Black



The *First* Name in *Travel* Mobility®



Go-Go® Ultra X 3-wheel



Go-Go® Ultra X 4-wheel

3 & 4-WHEEL SCOOTER

GO-GO® ULTRA X

Features

- 260 lbs. weight capacity
- Feather-touch disassembly permits simple frame separation with only one hand into 5 super lightweight pieces for convenient transport
- Maximum speed up to 4 MPH
- Up to 6.9 miles per charge range (3W), 7.2 per charge range (4W)

Color Choices



Red

Go-Go Elite Traveller®
4-wheel shown in BlueGo-Go Elite Traveller®
3-wheel

3 & 4-WHEEL SCOOTER

GO-GO® ELITE TRAVELLER®

Features

- 300 lbs. weight capacity
- Feather-touch disassembly permits simple frame separation with only one hand into 5 super lightweight pieces for convenient transport
- Two speed settings - high and low (indoor/outdoor)
- Maximum speed up to 4 MPH
- Up to 10.4 miles per charge range (3W), 9.7 per charge range (4W)
- Charger port in tiller

Color Choices

INTERCHANGEABLE
SHROUDS⁷

Red



Blue

GO-GO®

TRAVEL MOBILITY

3 & 4-WHEEL SCOOTER

GO-GO® ELITE TRAVELLER® PLUS

Features

- 300 lbs. weight capacity
- Feather-touch disassembly permits simple frame separation with only one hand into 5 super lightweight pieces for convenient transport
- Maximum speed up to 4.5 MPH
- Up to 14.4 miles per charge range (3W), 8.3 per charge range (4W)
- Delta tiller with wraparound handles



Go-Go Elite Traveller® Plus
4-wheel shown in Blue



Go-Go Elite Traveller® Plus
3-wheel

Color Choices

INTERCHANGEABLE
SHROUDS⁷



Red



Blue

3 & 4-WHEEL SCOOTER

GO-GO® SPORT

Features

- 325 lbs. weight capacity
- Feather-touch disassembly permits simple frame separation with only one hand into 5 super lightweight pieces for convenient transport
- Maximum speed up to 4.7 MPH
- Up to 12.7 miles per charge range (3W), 12 miles per charge range (4W)
- Charger port in tiller
- Delta tiller with wraparound handles



Go-Go® Sport 4-wheel
shown in Blue



Go-Go® Sport 3-wheel

Color Choices

INTERCHANGEABLE
SHROUDS⁷



Red



Blue

The *First* Name in *Travel* Mobility®

3 & 4-WHEEL SCOOTER

GO-GO®

LX WITH CTS SUSPENSION

Features

- 300 lbs. weight capacity
- Feather-touch disassembly permits simple frame separation with only one hand into 5 super lightweight pieces for convenient transport
- CTS Suspension (Comfort-Trac front and rear suspension)
- Maximum speed up to 4.4 MPH
- Up to 9.44 miles per charge range (3W), 10.5 miles per charge range (4W)
- Charger port in tiller
- Delta tiller with wraparound handles

Color Choices

INTERCHANGEABLE SHROUDS⁷



Red



Blue

Optional



Orion Yellow



Onyx Black



Pearl Pink



Sunburst Orange



Go-Go® LX w/CTS Suspension
3-wheel shown in Optional Pink



Go-Go® LX w/CTS Suspension
4-wheel



3-WHEEL SCOOTER

GO-GO®

FOLDING SCOOTER

Features

- 250 lbs. weight capacity
- Folds in three easy steps
- Maximum speed up to 4 MPH
- Up to 12.5 miles per charge range (Lithium Ion), 9.3 miles per charge range (Sealed lead acid)
- Height adjustable tiller
- Lighting package
- Optional lithium ion battery
- Optional armrests

Color Choices



White



Note: Transport of this item on commercial aircraft is subject to federal regulations and airline policy. Please consult your airline prior to your flight to ensure your Go-Go® Folding Scooter and its lithium-ion battery is permitted.

VICTORY® SERIES

3 & 4-WHEEL SCOOTER



Victory® 9 3-wheel
shown in Blue

VICTORY® 9

Features

- 300 lbs. weight capacity
- Feather-touch disassembly permits simple frame separation with only one hand
- Maximum speed up to 5.25 MPH
- Up to 13 miles per charge range
- Delta tiller with wraparound handles
- Long-lasting, high-intensity LED headlight offers optimal pathway illumination
- Easy access tiller-mounted charger port

Color Choices



Candy
Apple Red



Viper
Blue



Victory® 9 4-wheel

3 & 4-WHEEL SCOOTER



Victory® 10 3-wheel
shown in Blue

VICTORY® 10

Features

- 400 lbs. weight capacity
- Feather-touch disassembly permits simple frame separation with only one hand
- Maximum speed up to 5.25 MPH
- Up to 15.5 miles per charge range
- Delta tiller with wraparound handles
- Long lasting, high intensity LED headlight offers optimal pathway illumination
- Easy access tiller-mounted charger port

Color Choices



Candy
Apple Red



Viper
Blue



The Ultimate in Style & Performance®

4-WHEEL SCOOTER

VICTORY® 10 LX WITH CTS SUSPENSION

Features

- 400 lbs. weight capacity
- Feather-touch disassembly permits simple frame separation with only one hand
- CTS Suspension (Comfort-Trac front and rear suspension)
- Maximum speed up to 5.6 MPH
- Up to 16.16 miles per charge range
- Delta tiller with wraparound handles
- Black vinyl reclining high-back seat with sliders, height adjustable headrest, flip-up, height and width adjustable armrest
- Full LED lighting package that includes curb and rear lights and directional signals
- Easy access tiller-mounted charger port



Color Choices

Candy
Apple RedTrue
Blue

4-WHEEL SCOOTER

VICTORY® SPORT

Features

- 350 lbs. weight capacity
- Feather-touch disassembly permits simple frame separation with only one hand
- Maximum speed up to 8 MPH
- Up to 11 miles per charge range
- Delta tiller with wraparound handles
- Black vinyl reclining high-back seat with sliders, height adjustable headrest, flip-up, height and width adjustable armrest
- Long-lasting, high-intensity LED headlight offers optimal pathway illumination with directional signals
- Front and rear suspension
- Easy access tiller-mounted charger port



Color Choices

Candy
Apple RedViper
Blue



FULL-SIZE LUXURY

*Outstanding Outdoor
Performance with
Luxurious Features*

4-WHEEL SCOOTER



Features

- 400 lbs. weight capacity
- Infinitely-adjustable tiller angle with conveniently located handle
- Maximum speed up to 8 MPH
- Front and rear suspension
- Up to 14 miles per charge range (NF-22), 19 miles per charge range (G24)
- Feather-touch disassembly
- Delta tiller with wraparound handle
- Full lighting package that includes directional signals and lower headlight
- Reclining high-back seat with sliders and headrest

Color Choices



Candy
Apple Red



Silver



4-WHEEL SCOOTER



Features

- 400 lbs. weight capacity
- Infinitely-adjustable tiller angle with conveniently located handle
- Maximum speed up to 8.5 MPH
- Up to 29.51 miles per charge range (G27), 22.13 miles per charge range (G24)
- Front and rear suspension
- Delta tiller with wraparound handle
- Deluxe reclining high-back seat with sliders and headrest
- 13" low-profile, pneumatic tires for excellent outdoor performance

Color Choices



Candy
Apple Red



Silver



MAXIMA

HEAVY-DUTY

*Heavy-Duty Performance at
an Exceptional Value*

3 & 4-WHEEL SCOOTER

Features

- 500 lbs. weight capacity
- Ultra heavy-duty drivetrain with 110 amp controller
- Maximum speed up to 5.25 MPH
- Easily adjustable tiller
- Up to 18 miles per charge range (3W, NF-22), 9.6 miles per charge range (Power elevating seat, U-1), 16 miles per charge range (4W)
- Durable and stylish rear polyurethane bumper
- User-friendly console

Color Choices



Candy
Apple Red



Viper
Blue



Maxima 3-wheel
shown in Blue



Maxima 4-wheel

To find a compatible lift for your vehicle/mobility product, use our new

LIFT FINDER

pridemobility.com/lift-finder



A wide selection of Pride Mobility Scooter accessories are available to personalize your Pride Mobility Scooter to better meet your needs and make it uniquely yours.



Cane Clip Attachment



Cup Holder



Single Cane Holder



Double Cane Holder



Front Basket



Rear Basket



Oxygen Holder



RAM® X-Grip® Cell Phone Holder



Wishbone Crutch Holder



Lapbelt



Saddlebag



Walker Holder



Rearview Mirror



Weather Breaker



Weather Cover

DISCLAIMER: Not all accessories are available for all products. Please speak with your Provider for details and availability.

INNOVATIVE TECHNOLOGY

CTS SUSPENSION



Front Suspension



Rear Suspension

Comfort-Trac Suspension

(CTS) is the next generation in mobility scooter ride comfort. Pride's **industry first** technology incorporates advanced suspension components for improved absorption over rough surfaces, and a smoother ride experience over various terrains.

FEATHER-TOUCH DISASSEMBLY



Scooter/Travel Mobility
disassembly



Go-Chair disassembly

Most Go-Go® Travel Mobility and Pride® Mid-Size Scooters feature **Feather-Touch** — one-hand disassembly for hassle-free transport and storage.

PRIDE® MOBILITY SCOOTERS

LIVE YOUR BEST®

SPECIFICATIONS

		Front Tires	Rear Tires	Maximum Speed ²	Ground Clearance ^{4,11,14}	3-W Turning Radius ⁴	4-W Turning Radius ⁴	3-W Length/Width ^{4,10}	4-W Length/Width ^{4,10}	Seat-to-ground Height Range	(3/4-wheel) Weight ^{3,4,12}
TRAVEL MOBILITY	Go-Chair	9" SOLID	6" SOLID	UP TO 3.7 MPH	1.6" at anti-tip bracket 1.9" at frame	N/A	25.4" with foot platform	N/A	28.5" without footplate 33"/22.6"	22"-23"	67 LBS.
	Go-Go® ES 2 K0800 - GROUP 1 STANDARD	2" x 7.5" SOLID	3" x 7.5" SOLID	UP TO 4 MPH	1.5" at motor	31"	N/A	36.75"/19.5"	N/A	19"-20"	58.4 LBS.
	Go-Go® Ultra X	2" x 8" SOLID (3W) 2" x 7" SOLID (4W)	2.5" x 8" SOLID	UP TO 4 MPH	2.25" at mid-frame 1.25" at motor	33"	44"	37"/19.5"	39.5"/19.5"	18.13"-20.13"	76 LBS./80 LBS.
	Go-Go Elite Traveller® K0800 - GROUP 1 STANDARD	2" x 8" SOLID (3W) 2" x 7" SOLID (4W)	2.5" x 8" SOLID	UP TO 4 MPH	2"	33"	44"	37"/19.5"	39.5"/19.5"	18.13"-20.13"	76 LBS./80 LBS.
	Go-Go Elite Traveller® Plus K0806 - GROUP 2 STANDARD ¹³	2" x 8" SOLID (3W)	3" x 9" SOLID	UP TO 4.5 MPH	3" at mid-frame 1.5" at motor	34.5"	45.72"	40"/21.25"	40.25"/21.25"	20.5"-22"	86.5 LBS./87 LBS.
	Go-Go® Sport K0801 - GROUP 1 HEAVY DUTY	3" x 8" SOLID (3W) 3" x 9" SOLID (4W)	3" x 9" SOLID	UP TO 4.7 MPH	3" at mid-frame 1.5" at motor	36"	50.5"	42"/21.25"	43"/21.25"	20.5"-22"	92.8 LBS./99.2 LBS.
	Go-Go® LX with CTS Suspension	2" x 8" SOLID (3W) 2" x 7" SOLID (4W)	2.5" x 8" SOLID	UP TO 4.4 MPH	1.5" at motor	33"	44.75"	39.75"/20.5"	41"/20.5"	20.75"-22.25"	85.4 LBS./87.4 LBS.
	Go-Go® Folding Scooter	1.6" x 7" SOLID	2" x 8" SOLID	UP TO 4 MPH	2.3"	32"	N/A	37"/19"	N/A	20.5"	51.4 LBS.
MID-SIZE LUXURY	Victory® 9 K0800 - GROUP 1 STANDARD	3W: 3" x 8" SOLID 4W: 3" x 9" SOLID	3" x 9" SOLID	UP TO 5.25 MPH	3W: 2" 4W: 2.25"	40.25"	51.5"	43.5"/22.25"	45.5"/22.5"	19.25"-20.75"	117.5 LBS./131 LBS.
	Victory® 10 K0801 - GROUP 1 HEAVY DUTY	3.5" x 10" SOLID	3.5" x 10" SOLID	UP TO 5.25 MPH	3" at mid-frame	42"	54"	45.25"/22.25"	47"/22.25"	20.5"-22"	133.5 LBS./137.5 LBS.
	Victory® 10 LX with CTS Suspension ¹⁵	3.5" x 10" SOLID	3.5" x 10" SOLID	UP TO 5.6 MPH	2.2" at motor	N/A	59.9"	N/A	47"/22.2"	23.5"-25.5"	179 LBS.
	Victory® Sport ¹⁵	3.5" x 10" SOLID	4" x 10" SOLID	UP TO 8 MPH	2.25"	N/A	51.75"	N/A	47"/26"	21.5"-24.25"	173 LBS.
HEAVY-DUTY	Maxima K0802 - GROUP 1 VERY HEAVY DUTY (3W) K0808 - GROUP 2 ¹⁶ VERY HEAVY DUTY (4W)	3" X 10" SOLID	4" x 10" SOLID	UP TO 5.25 MPH	4.25" 3W 3.25" 4W	50.38"	54"	46"/25.5"	46.9"/25.5"	22.5"-24.5"	171 LBS./176 LBS.
FULL-SIZE LUXURY	Pursuit® ¹⁵	3" X 13" SOLID	13" SOLID	UP TO 8 MPH	3.56"	N/A	67.75" LEFT 66.75" RIGHT	N/A	53.25"/25.25"	24.75"-26.25"	225 LBS.
	Pursuit®XL ¹⁵	13" PNEUMATIC	13" PNEUMATIC	UP TO 8.5 MPH	5.25"	N/A	82.5"	N/A	56"/27.25"	26.25"-27.75"	259.9 LBS.

1. All shroud panels included.

2. Varies with user weight, terrain type, battery amp-hour (AH), battery charge, battery condition and tire condition.

3. This specification can be subject to a variance of (+ or -) 10%.

4. Battery weight not included.

5. Due to manufacturing tolerances and continual product improvement, this specification can be subject to variance of + or - 3%.

6. Battery pack is 18 lbs. with 12AH batteries.

7. Deep cycle (AGM or gel cell type recommended).

8. 18 AH battery pack weighs 29.5 lbs.

9. Tested in accordance with ANSI/RESNA, WC Vol 2, Section 4 and ISO 7176-4 standards. Results derived from theoretical calculations based on battery specifications and drive system performance. Test conducted at maximum weight capacity.

The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice. Speed & range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance can be subject to variance of + or - 3%.

Get Out There!

Seat Type (Standard)	Seat-to-deck Height Range	Battery Weight ⁹	Battery Requirements ⁶	Per Charge Range (Max.) ^{12a}	Battery Charger	Maximum Weight Capacity	Suspension	Weight of Heaviest Piece ⁴
COMPACT, FOLDABLE (18" X 17")	N/A	14 LBS. EA.	(2)18AH	UP TO 8.74 MILES	OFF-BOARD, 2A	300 LBS.	LIMITED	36 LBS. (REAR SECTION)
COMPACT, FOLDABLE (17" X 15")	16.25"-17.25"	9 LBS. EA.	(2)12AH	UP TO 6.8 MILES	OFF-BOARD, 1.5A	250 LBS.	N/A	41.4 LBS. (3-WHEEL) (SCOOTER BASE)
COMPACT, FOLDABLE (17" X 17")	15.75"-17.25"	9 LBS. EA. ⁹	(2)12AH	3W: UP TO 6.9 MILES 4W: UP TO 7.2 MILES	OFF-BOARD, 2A	260 LBS.	N/A	29.5 LBS. (3-WHEEL) (FRONT SECTION) 34 LBS. (4-WHEEL) (FRONT SECTION)
COMPACT, FOLDABLE (17" X 17")	15.75"-17.25"	9 LBS. EA. ⁹ / 14 LBS. EA. ⁷	(2)12AH OR (2)18AH	3W: UPTO 7.2 MILES (12AH) ¹⁰ UP TO 10.4 MILES (18AH) ¹⁰ 4W: UP TO 6 MILES (12AH) ¹⁰ UP TO 9.7 MILES (18AH) ¹⁰	OFF-BOARD, 2A	300 LBS.	N/A	29.5 LBS. (3-WHEEL) (FRONT SECTION) 34 LBS. (4-WHEEL) (FRONT SECTION)
COMPACT, FOLDABLE (17" X 17")	16.25"-17.75"	14 LBS. EA. ⁷	(2)18AH	3W: UP TO 14.4 MILES ⁹ 4W: UP TO 8.3 MILES ⁹	OFF-BOARD, 2A	300 LBS.	N/A	32.5 LBS. (3-WHEEL) (FRONT SECTION) 34 LBS. (4-WHEEL) (FRONT SECTION)
COMPACT, FOLDABLE (17" X 17")	17"-18"	14 LBS. EA. ⁷	(2)18AH	3W: UP TO 12.7 MILES 4W: UP TO 12 MILES	OFF-BOARD, 2A	325 LBS.	N/A	35 LBS. (3-WHEEL) (FRONT SECTION) 44 LBS. (4-WHEEL) (FRONT SECTION)
COMPACT, FOLDABLE (17" X 17")	16.25"-17.25"	9 LBS. EA. ⁹ / 14 LBS. EA. ⁷	(2)12AH OR (2)18AH	3W: UPTO 5.9 MILES (12AH) UP TO 9.44 MILES (18AH) 4W: UP TO 5.5 MILES (12AH) UP TO 10.5 MILES (18AH)	OFF-BOARD, 2A	300 LBS.	FRONT & REAR	34 LBS. (3-WHEEL) (FRONT SECTION) 36.6 LBS. (4-WHEEL) (FRONT SECTION)
COMPACT, FOLDABLE (16" X 13")	13"	9 LBS. EA. (SEALED LEAD ACID) / 5 LBS. EA. (LITHIUM-ION)	(2)12AH OR (1) 11.5AH (LITHIUM-ION)	UP TO 12.5 MILES (LITHIUM-ION) UP TO 9.3 MILES (SEALED LEAD ACID)	OFF-BOARD, 2A (SEALED LEAD ACID) OFF-BOARD, 2.5A (LITHIUM-ION)	250 LBS.	N/A	51.4 LBS. (UNIT DOES NOT DISASSEMBLE- UNIT WEIGHT WITHOUT BATTERY PACK)
FOLDABLE, MOLDED PLASTIC (18" X 17")	17.25"-18.75"	24.5 LBS. EA.	(2) U1 OR	UP TO 13 MILES	OFF-BOARD, 3.5A (U-1)	300 LBS.	N/A	48.5 LBS. (3-WHEEL) (FRONT SECTION) 59 LBS. (4-WHEEL) (FRONT SECTION)
FOLDABLE, MOLDED PLASTIC (18" X 17")	17.5"-19"	24.5 LBS. EA. / 32.5 LBS. EA.	(2) U1 OR (2) 40AH	UP TO 15.5 MILES	OFF-BOARD, 3.5A (U-1) / OFF-BOARD, 5A (40AH)	400 LBS.	N/A	54.5 LBS. (3-WHEEL) (FRONT SECTION) 61 LBS. (4-WHEEL) (FRONT SECTION)
RECLINING H/B W/SLIDERS & HEADREST (18" X 18")	16.5"-18.5"	32.5 LBS. EA.	(2) 40AH	UP TO 16.16 MILES	OFF-BOARD, 5A (40AH)	400 LBS.	FRONT & REAR	77.6 LBS. (4-WHEEL) (FRONT SECTION)
RECLINING H/B W/SLIDERS & HEADREST (18" X 18")	16"-18.5"	32.5 LBS. EA.	(2) 40AH	UP TO 11 MILES	OFF-BOARD, 5A	350 LBS.	FRONT & REAR	68 LBS. (4-WHEEL) (FRONT SECTION)
DELUXE CONTOURED MEDIUM-BACK (22" X 18")	3W: 16"-18" 4W: 16"-18"	38 LBS. EA. (NF-22 OR 55AH) 24.5 LBS. EA. (U-1)	(2) NF-22 (2) U-1 (POWER ELEVATING SEAT)	3W: UP TO 18 MILES, U-1 (POWER ELEVATING SEAT) UP TO 9.6 MILES 4W: UP TO 16 MILES	OFF-BOARD, 5A	500 LBS.	3-W REAR / 4-W FRONT & REAR	76 LBS. (3-WHEEL) (REAR SECTION) 76 LBS. (4-WHEEL) (REAR SECTION)
RECLINING H/B W/SLIDERS & HEADREST (18" X 18")	17"-18.75"	38 LBS. EA. (NF-22 OR 55AH) 53 LBS. EA. (75AH)	(2) NF-22 (2) GROUP 24	UP TO 14 MILES (NF-22) UP TO 19 MI. (GROUP 24)	OFF-BOARD, 5A (NF-22) OFF-BOARD, 8A (GROUP 24)	400 LBS.	FRONT & REAR	95 LBS. (FRONT SECTION)
HIGH-BACK PILLOW TOP W/SLIDERS & HEADREST (19.5" X 17.5")	21"-22.5"	53 LBS. EA. (75AH) 60 LBS. EA. (100AH)	(2) GROUP 27 OR (2) GROUP 24	G27: UP TO 29.51 MILES G24: UP TO 22.13 MILES	OFF-BOARD, 8A	400 LBS.	FRONT & REAR	205.5 LBS. (MAIN FRAME)

9. Battery weight may vary based on manufacturer.

10. Width of base (not including seat).

11. Does not account for anti-tip clearance.

12. Includes standard seat weight.

13. Must be billed to Medicare as either a beneficiary requested upgrade with a properly executed ABN, or as an upgrade at no additional charge to the beneficiary.

14. At midframe.

15. Light package.

**DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement.

HCPCS codes should not be considered legal advice.



PRIDE® MOBILITY SCOOTERS
LIVE YOUR BEST®

AUTHORIZED PRIDE® PROVIDER

PROVIDER INFO